Aitkin County - June 2025 - Tate Putman - 100/326

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ■ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ■ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ☐ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ■ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ■ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ☐ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ☐ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ■ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ☐ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ☐ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_100 County Total 326

Anoka County - June 2025 - Tate Putman - 146/335

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ☐ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ■ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ■ Least Bittern
- ■ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ■ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ■ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ■ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ■ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ☐ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ☐ Prairie Warbler
- ■ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ☐ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ☐ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ☐ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ☐ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ☐ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_146 County Total 335

Becker County - June 2025 - Tate Putman - 61/306

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ■ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ☐ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ☐ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ☐ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 61 County Total 306

Beltrami County - June 2025 - Tate Putman - 80/311

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ☐ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ■ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ■ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ☐ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ■ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ☐ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ☐ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_80 County Total 311

Benton County - June 2025 - Tate Putman - 87/281

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ▪ Swainson's Hawk
- ☐ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ■ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ☐ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 87 County Total 281

Big Stone County - June 2025 - Tate Putman - 113/309

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ■ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ■ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ■ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ■ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ☐ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ☐ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ☐ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 113 County Total 309

Blue Earth County - June 2025 - Tate Putman - 122/309

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ■ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ■ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ■ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ☐ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ☐ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 122 County Total 309

Brown County - June 2025 - Tate Putman - 59/294

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ☐ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ☐ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 59 County Total 294

Carlton County - June 2025 - Tate Putman - 153/279

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ▪ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ▪ Western Grebe
- ■ Rock Pigeon
- ▪ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ■ Common Nighthawk
- ■ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ▪ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ■ Redpoll
- ■ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ▪ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- ▪ Summer Tanager
- ■ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ☐ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ☐ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 153 County Total 279

Carver County - June 2025 - Tate Putman - 137/308

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ■ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ■ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ■ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ■ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ■ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ☐ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ☐ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_137 County Total 308

Cass County - June 2025 - Tate Putman - 95/313

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ■ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ☐ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ☐ Great Black-backed Gull
- ■ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ▪ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ▪ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ▪ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ☐ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ☐ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ☐ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ☐ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ☐ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ☐ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ☐ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ☐ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1_95 County Total 313

Chippewa County - June 2025 - Tate Putman - 107/288

-- Regular Species --
- ☐ Snow Goose
- ■ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- · Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- · Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- · Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- · Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- · Ruffed Grouse
- · Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- · White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- · Yellow Rail
- ■ Sandhill Crane
- · Black-necked Stilt
- ■ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- · Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- · Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- · Parasitic Jaeger
- · Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- · Iceland Gull
- · Lesser Black-backed Gull
- · Glaucous Gull
- · Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- · Red-throated Loon
- · Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ☐ Snowy Egret
- · Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ■ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- · Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- · Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- · American Three-toed Woodpecker
- · Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- · Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- · Say's Phoebe
- ☐ White-eyed Vireo
- · Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ■ Loggerhead Shrike
- ■ Northern Shrike
- · Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- · Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- · Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ■ Brown Thrasher
- · Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- · Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- · Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- · Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- · Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ■ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- · Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- · Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- · Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- · Black-bellied Whistling-Duck
- · Brant
- ☐ Eurasian Wigeon
- · Tufted Duck
- ☐ King Eider
- · Clark's Grebe
- · Rufous Hummingbird
- · King Rail
- · Limpkin
- ☐ Ruff
- · Western Sandpiper
- · Red Phalarope
- · Black-legged Kittiwake
- ☐ Little Gull
- · Laughing Gull
- · California Gull
- · Slaty-backed Gull
- · Least Tern
- · Wood Stork
- · Neotropic Cormorant
- ☐ Little Blue Heron
- · Glossy Ibis
- · Black Vulture
- · Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- · American Barn Owl
- · Lewis's Woodpecker
- ☐ Gyrfalcon
- · Scissor-tailed Flycatcher
- · Vermilion Flycatcher
- · Clark's Nutcracker
- · Rock Wren
- · Sage Thrasher
- ☐ Mountain Bluebird
- · Brambling
- · Gray-crowned Rosy-Finch
- · Chestnut-collared Longspur
- ☐ Lark Bunting
- ☐ Golden-crowned Sparrow
- · Bullock's Oriole
- · Worm-eating Warbler
- · Kentucky Warbler
- · Prairie Warbler
- · Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- · Lazuli Bunting
- · Painted Bunting

-- Accidental Species --
- · Fulvous Whistling-Duck
- · Garganey
- · Mottled Duck
- · Common Eider
- · Smew
- · Willow Ptarmigan
- · Rock Ptarmigan
- · Band-tailed Pigeon
- · Inca Dove
- · Common Ground Dove
- · Groove-billed Ani
- · Common Poorwill
- · Chuck-will's-widow
- · White-throated Swift
- · Mexican Violetear
- · Rivoli's Hummingbird
- · Anna's Hummingbird
- · Costa's Hummingbird
- · Calliope Hummingbird
- · Broad-billed Hummingbird
- · Purple Gallinule
- · Black Rail
- · Whooping Crane
- · Wilson's Plover
- · Snowy Plover
- · Long-billed Curlew
- · Sharp-tailed Sandpiper
- · Curlew Sandpiper
- · Purple Sandpiper
- · Pomarine Jaeger
- · Long-tailed Jaeger
- · Dovekie
- · Black Guillemot
- · Long-billed Murrelet
- · Ancient Murrelet
- · Ivory Gull
- · Black-headed Gull
- · Ross's Gull
- · Short-billed Gull
- · Glaucous-winged Gull
- · Gull-billed Tern
- · Arctic Tern
- · Sandwich Tern
- · Elegant Tern
- · Yellow-billed Loon
- · Northern Fulmar
- · Magnificent Frigatebird
- · Brown Booby
- · Brown Pelican
- · Tricolored Heron
- · White Ibis
- · Roseate Spoonbill
- · White-tailed Kite
- · Common Black Hawk
- ☐ Burrowing Owl
- · Acorn Woodpecker
- · Williamson's Sapsucker
- · Crested Caracara
- · Ash-throated Flycatcher
- · Tropical Kingbird
- · Cassin's Kingbird
- · Fork-tailed Flycatcher
- · Western Wood-Pewee
- · Violet-green Swallow
- · Phainopepla
- · Pygmy Nuthatch
- · Bewick's Wren
- · Curve-billed Thrasher
- · American Dipper
- · Fieldfare
- · Northern Wheatear
- · Sprague's Pipit
- · Black Rosy-Finch
- · Cassin's Finch
- · Lesser Goldfinch
- · Thick-billed Longspur
- · Cassin's Sparrow
- · Black-throated Sparrow
- · Brewer's Sparrow
- · Baird's Sparrow
- · Abert's Towhee
- · Green-tailed Towhee
- · Scott's Oriole
- · Swainson's Warbler
- · MacGillivray's Warbler
- · Kirtland's Warbler
- · Townsend's Warbler
- · Hermit Warbler
- · Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- · Eskimo Curlew

-- Extinct Species --
- · Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1 107 County Total 288

Chisago County - June 2025 - Tate Putman - 89/294

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ☐ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ■ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ▪ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ■ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ▪ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ▪ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ■ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ☐ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ☐ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ☐ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_89 County Total 294

Clay County - June 2025 - Tate Putman - 93/326

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ■ Sharp-tailed Grouse
- ■ Greater Prairie-Chicken
- ■ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ■ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ☐ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ☐ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ☐ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ☐ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 93 County Total 326

Clearwater County - June 2025 - Tate Putman - 81/288

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ☐ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ■ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ☐ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 81 County Total 288

Cook County - June 2025 - Tate Putman - 93/337

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ■ Harlequin Duck
- ■ Surf Scoter
- ■ White-winged Scoter
- ■ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ■ Ruffed Grouse
- ■ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ▪ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ▪ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ☐ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ☐ Great Black-backed Gull
- ☐ Caspian Tern
- ▪ Black Tern
- ☐ Common Tern
- ▪ Forster's Tern
- ☐ Red-throated Loon
- ■ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ■ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ☐ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ▪ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ■ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ☐ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ▪ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ■ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ■ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ■ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ☐ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ■ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ■ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ■ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ☐ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ☐ Savannah Sparrow
- ☐ Song Sparrow
- ■ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ☐ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ■ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ■ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ☐ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ▪ California Gull
- ☐ Slaty-backed Gull
- ▪ Least Tern
- ☐ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ☐ Lewis's Woodpecker
- ☐ Gyrfalcon
- ■ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ☐ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ☐ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ☐ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ☐ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ☐ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ☐ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ☐ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ☐ Black Guillemot
- ▪ Long-billed Murrelet
- ☐ Ancient Murrelet
- ☐ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ☐ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ☐ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ☐ Cassin's Kingbird
- ☐ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ☐ American Dipper
- ☐ Fieldfare
- ☐ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ☐ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ☐ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1_93 County Total 337

Cottonwood County - June 2025 - Tate Putman - 75/303

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ☐ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ☐ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ■ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ☐ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 75 County Total 303

Crow Wing County - June 2025 - Tate Putman - 75/314

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- □ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- □ Wood Duck
- □ Blue-winged Teal
- □ Cinnamon Teal
- □ Northern Shoveler
- □ Gadwall
- □ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- □ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- □ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- □ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- □ Spruce Grouse
- □ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- □ Ring-necked Pheasant
- □ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- □ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- □ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- □ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- □ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- □ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- □ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- □ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- □ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- ■ Forster's Tern
- □ Red-throated Loon
- □ Pacific Loon
- ■ Common Loon
- □ Double-crested Cormorant
- □ American White Pelican
- □ Least Bittern
- □ American Bittern
- ▪ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- ■ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- □ Northern Harrier
- □ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ▪ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- ■ Great Horned Owl
- □ Snowy Owl
- □ Northern Hawk Owl
- □ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- □ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- □ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- □ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- □ Pileated Woodpecker
- □ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- □ Eastern Kingbird
- □ Olive-sided Flycatcher
- □ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- □ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- □ Tufted Titmouse
- □ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- ■ Bohemian Waxwing
- □ Cedar Waxwing
- □ Red-breasted Nuthatch
- □ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- ■ Sedge Wren
- □ Marsh Wren
- □ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- □ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- □ American Goldfinch
- □ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- ■ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- □ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- □ Northern Cardinal
- □ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- □ King Eider
- ▪ Clark's Grebe
- □ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- □ Red Phalarope
- □ Black-legged Kittiwake
- □ Little Gull
- ▪ Laughing Gull
- □ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- □ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- □ Bullock's Oriole
- □ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- □ Black-headed Grosbeak
- □ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- □ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- □ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ■ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- □ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- □ Burrowing Owl
- □ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- □ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_75 County Total 314

Dakota County - June 2025 - Tate Putman - 281/350

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ■ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- □ Harlequin Duck
- ■ Surf Scoter
- ■ White-winged Scoter
- ■ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ■ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- ■ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ■ Common Nighthawk
- ■ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ■ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- ■ Upland Sandpiper
- □ Whimbrel
- ■ Hudsonian Godwit
- ■ Marbled Godwit
- ■ Ruddy Turnstone
- □ Red Knot
- ■ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ■ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ■ Lesser Black-backed Gull
- ■ Glaucous Gull
- □ Great Black-backed Gull
- ■ Caspian Tern
- ■ Black Tern
- ■ Common Tern
- ■ Forster's Tern
- ■ Red-throated Loon
- □ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ■ Least Bittern
- ■ American Bittern
- ■ Snowy Egret
- ■ Yellow-crowned Night Heron
- ■ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ■ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ■ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ■ Great Horned Owl
- □ Snowy Owl
- □ Northern Hawk Owl
- ■ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- ■ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- □ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- □ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ■ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ■ Say's Phoebe
- □ White-eyed Vireo
- ■ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ■ Loggerhead Shrike
- ■ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ■ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ■ Carolina Wren
- ■ Northern House Wren
- ■ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ■ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ■ Veery
- ■ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ■ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ■ Redpoll
- ■ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ■ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ■ LeConte's Sparrow
- ■ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ■ Spotted Towhee
- ■ Eastern Towhee
- ■ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ■ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- ■ Ovenbird
- □ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ■ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ■ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ■ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- ■ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ■ Black-throated Blue Warbler
- ■ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ■ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- ■ Summer Tanager
- ■ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ■ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ■ Black-bellied Whistling-Duck
- ▪ Brant
- □ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- □ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- □ Ruff
- ■ Western Sandpiper
- ▪ Red Phalarope
- □ Black-legged Kittiwake
- □ Little Gull
- ▪ Laughing Gull
- □ California Gull
- □ Slaty-backed Gull
- □ Least Tern
- ▪ Wood Stork
- □ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- □ Mississippi Kite
- □ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- □ Rock Wren
- □ Sage Thrasher
- □ Mountain Bluebird
- □ Brambling
- ▪ Gray-crowned Rosy-Finch
- □ Chestnut-collared Longspur
- ▪ Lark Bunting
- □ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- □ Prairie Warbler
- □ Black-throated Gray Warbler
- □ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ■ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- □ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ■ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- □ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- □ Ancient Murrelet
- □ Ivory Gull
- ▪ Black-headed Gull
- □ Ross's Gull
- ▪ Short-billed Gull
- □ Glaucous-winged Gull
- ▪ Gull-billed Tern
- □ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- □ Brown Pelican
- □ Tricolored Heron
- ▪ White Ibis
- □ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- □ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1 281 County Total 350

Dodge County - June 2025 - Tate Putman - 126/274

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ■ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ▪ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ▪ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ▪ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ■ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ☐ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ☐ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 126 County Total 274

Douglas County - June 2025 - Tate Putman - 140/287

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ■ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ■ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 140 County Total 287

Faribault County - June 2025 - Tate Putman - 116/296

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- □ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- □ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- □ Black-necked Stilt
- □ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- □ Red Knot
- ■ Stilt Sandpiper
- ■ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- ■ Least Sandpiper
- □ White-rumped Sandpiper
- ■ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- □ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- □ Herring Gull
- □ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ■ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- ■ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- □ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- □ Prairie Falcon
- □ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- ▪ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- □ Eastern Bluebird
- ▪ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- □ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- □ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- ■ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- □ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- □ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- ▪ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- □ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- ▪ Ruff
- □ Western Sandpiper
- □ Red Phalarope
- ▪ Black-legged Kittiwake
- □ Little Gull
- □ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- □ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- □ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- □ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1 116 County Total 296

Fillmore County - June 2025 - Tate Putman - 69/290

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ▪ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ▪ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ▪ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ▪ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ■ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ☐ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ☐ Black Vulture
- ☐ Swallow-tailed Kite
- ☐ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 69 County Total 290

Freeborn County - June 2025 - Tate Putman - 123/299

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- □ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- ■ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ■ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- □ Red-necked Phalarope
- □ Parasitic Jaeger
- ▪ Sabine's Gull
- □ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- □ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- □ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ■ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- □ Northern Harrier
- ■ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- ▪ Northern Saw-whet Owl
- □ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- ■ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- □ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- ■ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- □ Lapland Longspur
- ▪ Smith's Longspur
- □ Snow Bunting
- ■ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- □ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- □ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- □ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- □ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- □ Brown Pelican
- □ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- □ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1_123 County Total 299

Goodhue County - June 2025 - Tate Putman - 188/320

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- ■ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- ■ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ■ Harlequin Duck
- □ Surf Scoter
- ■ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ■ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- □ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ■ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ■ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- □ Marbled Godwit
- ■ Ruddy Turnstone
- □ Red Knot
- □ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- □ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- □ Red-necked Phalarope
- □ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ■ Lesser Black-backed Gull
- □ Glaucous Gull
- □ Great Black-backed Gull
- ■ Caspian Tern
- ■ Black Tern
- □ Common Tern
- ■ Forster's Tern
- ■ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- ■ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- ■ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- ■ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- □ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- □ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ■ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- ■ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ■ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- □ LeConte's Sparrow
- ▪ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- ■ Eastern Towhee
- □ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- ■ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- ■ Cerulean Warbler
- □ Northern Parula
- ■ Magnolia Warbler
- □ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- □ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- ■ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- □ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- □ Eurasian Wigeon
- □ Tufted Duck
- □ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- □ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- □ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ■ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- □ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- □ Black Rail
- □ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- □ Curlew Sandpiper
- ▪ Purple Sandpiper
- □ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- □ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_188 County Total 320

Grant County - June 2025 - Tate Putman - 107/295

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ■ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ▪ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ☐ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 107 County Total 295

Hennepin County - June 2025 - Tate Putman - 242/368

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ■ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- □ Harlequin Duck
- ■ Surf Scoter
- ■ White-winged Scoter
- □ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- □ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ■ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- □ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- ■ Hudsonian Godwit
- ■ Marbled Godwit
- ■ Ruddy Turnstone
- □ Red Knot
- ■ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ■ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- □ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- □ Lesser Black-backed Gull
- ■ Glaucous Gull
- □ Great Black-backed Gull
- ■ Caspian Tern
- ■ Black Tern
- □ Common Tern
- ■ Forster's Tern
- □ Red-throated Loon
- ■ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- ■ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- ■ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ■ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ■ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ■ Great Horned Owl
- ■ Snowy Owl
- □ Northern Hawk Owl
- ■ Barred Owl
- □ Great Gray Owl
- ■ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- ■ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- □ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- □ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- □ Say's Phoebe
- □ White-eyed Vireo
- □ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ■ Loggerhead Shrike
- ■ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- ■ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ■ Carolina Wren
- ■ Northern House Wren
- ■ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ■ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- □ Redpoll
- □ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- □ Lapland Longspur
- □ Smith's Longspur
- □ Snow Bunting
- ■ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ■ LeConte's Sparrow
- □ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- ■ Eastern Towhee
- □ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- □ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- □ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- □ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ■ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- ■ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ■ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- ▪ Brant
- □ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ■ Clark's Grebe
- □ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- □ Ruff
- □ Western Sandpiper
- ■ Red Phalarope
- □ Black-legged Kittiwake
- □ Little Gull
- ▪ Laughing Gull
- □ California Gull
- ▪ Slaty-backed Gull
- □ Least Tern
- ▪ Wood Stork
- ■ Neotropic Cormorant
- □ Little Blue Heron
- □ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- □ Mississippi Kite
- □ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- □ Clark's Nutcracker
- □ Rock Wren
- □ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- □ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- □ Golden-crowned Sparrow
- □ Bullock's Oriole
- ■ Worm-eating Warbler
- □ Kentucky Warbler
- □ Prairie Warbler
- □ Black-throated Gray Warbler
- □ Black-headed Grosbeak
- □ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ■ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- □ Band-tailed Pigeon
- ▪ Inca Dove
- □ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- □ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- □ Anna's Hummingbird
- ▪ Costa's Hummingbird
- □ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- □ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- □ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- □ Short-billed Gull
- □ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ■ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- □ Tricolored Heron
- ▪ White Ibis
- □ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- □ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- □ Sprague's Pipit
- ▪ Black Rosy-Finch
- □ Cassin's Finch
- □ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ■ Swainson's Warbler
- ▪ MacGillivray's Warbler
- □ Kirtland's Warbler
- □ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1 242 County Total 368

Houston County - June 2025 - Tate Putman - 91/299

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ▪ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ■ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ☐ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ■ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ☐ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ☐ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 91 County Total 299

Hubbard County - June 2025 - Tate Putman - 87/295

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ■ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ■ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ☐ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ☐ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 87 County Total 295

Isanti County - June 2025 - Tate Putman - 100/286

-- Regular Species --
- ☐ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ▪ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ▪ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ▪ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ■ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ■ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ▪ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ■ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ☐ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 100 County Total 286

Itasca County - June 2025 - Tate Putman - 102/302

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ▪ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ▪ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ☐ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ☐ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ▪ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ■ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ■ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ■ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ■ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ☐ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ■ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ☐ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ☐ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ☐ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ☐ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ☐ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ■ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_102 County Total 302

Jackson County - June 2025 - Tate Putman - 74/313

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- · Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- · Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- · Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- · Ruffed Grouse
- · Spruce Grouse
- · Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- · White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- · Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- · Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- · Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- · Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- · Northern Hawk Owl
- ☐ Barred Owl
- · Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- · Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- · American Three-toed Woodpecker
- · Black-backed Woodpecker
- ☐ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- · White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- · Canada Jay
- ■ Blue Jay
- · Black-billed Magpie
- ■ American Crow
- · Common Raven
- ■ Black-capped Chickadee
- · Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ☐ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- · Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- · Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- · Varied Thrush
- ■ House Sparrow
- · Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- · Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ■ Great-tailed Grackle
- ☐ Ovenbird
- · Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- · Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- · Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- · Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- · Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- · Black-bellied Whistling-Duck
- · Brant
- ☐ Eurasian Wigeon
- · Tufted Duck
- · King Eider
- ☐ Clark's Grebe
- · Rufous Hummingbird
- ☐ King Rail
- ☐ Limpkin
- · Ruff
- · Western Sandpiper
- · Red Phalarope
- · Black-legged Kittiwake
- ☐ Little Gull
- · Laughing Gull
- · California Gull
- · Slaty-backed Gull
- · Least Tern
- · Wood Stork
- · Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- · Black Vulture
- ☐ Swallow-tailed Kite
- · Mississippi Kite
- ☐ Ferruginous Hawk
- · American Barn Owl
- · Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- · Vermilion Flycatcher
- ☐ Clark's Nutcracker
- · Rock Wren
- · Sage Thrasher
- ☐ Mountain Bluebird
- · Brambling
- · Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- · Golden-crowned Sparrow
- · Bullock's Oriole
- · Worm-eating Warbler
- ☐ Kentucky Warbler
- · Prairie Warbler
- · Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- · Painted Bunting

-- Accidental Species --
- · Fulvous Whistling-Duck
- ☐ Garganey
- · Mottled Duck
- · Common Eider
- ☐ Smew
- · Willow Ptarmigan
- · Rock Ptarmigan
- · Band-tailed Pigeon
- · Inca Dove
- · Common Ground Dove
- · Groove-billed Ani
- · Common Poorwill
- · Chuck-will's-widow
- · White-throated Swift
- · Mexican Violetear
- · Rivoli's Hummingbird
- · Anna's Hummingbird
- · Costa's Hummingbird
- · Calliope Hummingbird
- · Broad-billed Hummingbird
- · Purple Gallinule
- · Black Rail
- ☐ Whooping Crane
- · Wilson's Plover
- · Snowy Plover
- ☐ Long-billed Curlew
- · Sharp-tailed Sandpiper
- · Curlew Sandpiper
- · Purple Sandpiper
- · Pomarine Jaeger
- ☐ Long-tailed Jaeger
- · Dovekie
- · Black Guillemot
- · Long-billed Murrelet
- · Ancient Murrelet
- · Ivory Gull
- ☐ Black-headed Gull
- · Ross's Gull
- · Short-billed Gull
- · Glaucous-winged Gull
- · Gull-billed Tern
- · Arctic Tern
- · Sandwich Tern
- · Elegant Tern
- · Yellow-billed Loon
- · Northern Fulmar
- ☐ Magnificent Frigatebird
- · Brown Booby
- ☐ Brown Pelican
- · Tricolored Heron
- · White Ibis
- · Roseate Spoonbill
- · White-tailed Kite
- · Common Black Hawk
- ☐ Burrowing Owl
- · Acorn Woodpecker
- · Williamson's Sapsucker
- · Crested Caracara
- · Ash-throated Flycatcher
- · Tropical Kingbird
- · Cassin's Kingbird
- · Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- · Violet-green Swallow
- · Phainopepla
- · Pygmy Nuthatch
- · Bewick's Wren
- · Curve-billed Thrasher
- · American Dipper
- · Fieldfare
- · Northern Wheatear
- ☐ Sprague's Pipit
- · Black Rosy-Finch
- · Cassin's Finch
- · Lesser Goldfinch
- · Thick-billed Longspur
- · Cassin's Sparrow
- · Black-throated Sparrow
- · Brewer's Sparrow
- · Baird's Sparrow
- · Abert's Towhee
- · Green-tailed Towhee
- · Scott's Oriole
- · Swainson's Warbler
- · MacGillivray's Warbler
- · Kirtland's Warbler
- · Townsend's Warbler
- · Hermit Warbler
- · Painted Redstart

-- Extripated Species --
- · Northern Bobwhite
- ☐ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 74 County Total 313

Kanabec County - June 2025 - Tate Putman - 81/285

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ▪ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ▪ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ☐ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1_81 County Total 285

Kandiyohi County - June 2025 - Tate Putman - 70/314

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ☐ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_70 County Total 314

Kittson County - June 2025 - Tate Putman - 73/299

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ■ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ■ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ☐ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ☐ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 73 County Total 299

Koochiching County - June 2025 - Tate Putman - 120/277

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ▪ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ☐ Common Nighthawk
- ■ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ■ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ▪ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ▪ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ▪ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ■ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ■ American Three-toed Woodpecker
- ■ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ▪ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ■ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ■ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ■ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ■ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ▪ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ■ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 120 County Total 277

Lac qui Parle County - June 2025 - Tate Putman - 120/337

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ■ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ■ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ■ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ■ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ☐ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ☐ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ☐ Gull-billed Tern
- ☐ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ■ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ☐ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ☐ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ☐ Townsend's Warbler
- ☐ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 120 County Total 337

Lake County - June 2025 - Tate Putman - 108/334

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- □ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- □ Wood Duck
- □ Blue-winged Teal
- ▪ Cinnamon Teal
- □ Northern Shoveler
- □ Gadwall
- □ American Wigeon
- ■ Mallard
- □ American Black Duck
- □ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- □ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- □ Lesser Scaup
- □ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- □ Barrow's Goldeneye
- □ Hooded Merganser
- □ Common Merganser
- ■ Red-breasted Merganser
- □ Ruddy Duck
- □ Wild Turkey
- ■ Ruffed Grouse
- □ Spruce Grouse
- □ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ▪ Gray Partridge
- □ Ring-necked Pheasant
- □ Pied-billed Grebe
- □ Horned Grebe
- ■ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- □ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- □ American Coot
- □ Yellow Rail
- □ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- □ Killdeer
- □ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- □ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- □ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- ■ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- □ Parasitic Jaeger
- ▪ Sabine's Gull
- □ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- □ Lesser Black-backed Gull
- ■ Glaucous Gull
- □ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- □ Red-throated Loon
- □ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- □ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- ■ Golden Eagle
- □ Northern Harrier
- ■ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- ■ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ■ Northern Hawk Owl
- □ Barred Owl
- ■ Great Gray Owl
- ■ Long-eared Owl
- ■ Short-eared Owl
- ■ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- □ American Three-toed Woodpecker
- ■ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- □ American Kestrel
- ■ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- □ Great Crested Flycatcher
- ■ Western Kingbird
- □ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- □ Eastern Phoebe
- □ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- ■ Northern Shrike
- ■ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ■ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- □ Barn Swallow
- □ Cliff Swallow
- □ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ■ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- ■ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- □ House Finch
- ■ Purple Finch
- ■ Redpoll
- ■ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- □ Smith's Longspur
- ■ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- ■ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- □ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- □ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- □ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- ■ Canada Warbler
- □ Wilson's Warbler
- ■ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- □ Northern Cardinal
- □ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- □ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- □ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ■ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- □ Red Phalarope
- □ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- □ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- □ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- □ Clark's Nutcracker
- □ Rock Wren
- ■ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- □ Gray-crowned Rosy-Finch
- □ Chestnut-collared Longspur
- □ Lark Bunting
- □ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- □ Black-throated Gray Warbler
- □ Black-headed Grosbeak
- ▪ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- □ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- □ Inca Dove
- □ Common Ground Dove
- □ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- □ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- □ Ancient Murrelet
- □ Ivory Gull
- □ Black-headed Gull
- ▪ Ross's Gull
- □ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- □ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- □ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- □ Crested Caracara
- □ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- □ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- □ Cassin's Sparrow
- □ Black-throated Sparrow
- □ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_108 County Total 334

Lake of the Woods County - June 2025 - Tate Putman - 133/298

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ■ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ■ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ■ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ■ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ■ Caspian Tern
- ☐ Black Tern
- ■ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ▪ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ■ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ■ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ■ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ■ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ▪ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ■ LeConte's Sparrow
- ■ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ☐ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ☐ Common Eider
- ▪ Smew
- ☐ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ☐ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ☐ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 133 County Total 298

Le Sueur County - June 2025 - Tate Putman - 143/298

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ■ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- ■ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- ■ Ruddy Turnstone
- □ Red Knot
- ■ Stilt Sandpiper
- □ Sanderling
- ■ Dunlin
- □ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- □ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- □ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- □ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ■ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ■ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- ■ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ■ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- ■ Harris's Sparrow
- □ White-throated Sparrow
- ■ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ■ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- ■ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- □ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- ■ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- ■ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- □ Blue Grosbeak
- ■ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- □ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- □ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- □ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- □ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- □ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- □ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_143 County Total 298

Lincoln County - June 2025 - Tate Putman - 62/281

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ▪ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ■ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ☐ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ▪ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ☐ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ☐ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 62 County Total 281

Lyon County - June 2025 - Tate Putman - 80/328

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ■ Western Cattle-Egret
- ☐ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ☐ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ☐ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ☐ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ☐ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_80 County Total 328

Mahnomen County - June 2025 - Tate Putman - 82/271

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- □ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- □ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- □ Common Goldeneye
- ▪ Barrow's Goldeneye
- □ Hooded Merganser
- □ Common Merganser
- □ Red-breasted Merganser
- ■ Ruddy Duck
- □ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- □ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- □ Pied-billed Grebe
- ■ Horned Grebe
- □ Red-necked Grebe
- ■ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- ■ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ▪ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- ▪ Sanderling
- ■ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- □ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- □ Bonaparte's Gull
- □ Franklin's Gull
- □ Ring-billed Gull
- □ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- □ Double-crested Cormorant
- □ American White Pelican
- □ Least Bittern
- □ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- □ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- □ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- ■ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- ▪ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- □ Northern Saw-whet Owl
- □ Belted Kingfisher
- □ Red-headed Woodpecker
- □ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- □ Hairy Woodpecker
- ■ Northern Flicker
- □ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- □ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- □ Red-eyed Vireo
- □ Loggerhead Shrike
- ■ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- □ Cliff Swallow
- ■ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- ■ Sedge Wren
- □ Marsh Wren
- □ Gray Catbird
- ■ Brown Thrasher
- ▪ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ▪ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- □ American Goldfinch
- □ Lapland Longspur
- □ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- □ American Tree Sparrow
- □ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- ▪ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- □ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- □ Ovenbird
- ▪ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ■ Black-and-white Warbler
- ▪ Prothonotary Warbler
- □ Tennessee Warbler
- ■ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- □ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- ▪ Western Tanager
- □ Northern Cardinal
- □ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- □ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- □ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- □ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2yoda1 82 County Total 271

Marshall County - June 2025 - Tate Putman - 84/312

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ☐ Spruce Grouse
- ■ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ■ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ▪ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ☐ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 84 County Total 312

Martin County - June 2025 - Tate Putman - 66/289

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- □ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- □ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- □ White-winged Scoter
- ▪ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- □ Common Goldeneye
- □ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- □ Red-breasted Merganser
- ■ Ruddy Duck
- □ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- □ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- □ Sandhill Crane
- □ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- ■ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- □ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- □ Herring Gull
- ▪ Iceland Gull
- □ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- □ Turkey Vulture
- □ Osprey
- ■ Golden Eagle
- ■ Northern Harrier
- □ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- □ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- □ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- □ Great Crested Flycatcher
- □ Western Kingbird
- □ Eastern Kingbird
- □ Olive-sided Flycatcher
- □ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- □ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- ▪ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- □ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- □ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- □ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- □ Barn Swallow
- □ Cliff Swallow
- □ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- □ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- □ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- □ Eastern Bluebird
- □ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- □ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- □ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- □ Ovenbird
- ▪ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- □ Common Yellowthroat
- ▪ Hooded Warbler
- □ American Redstart
- □ Cape May Warbler
- ▪ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- □ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- □ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- □ Northern Cardinal
- □ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- □ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- □ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- □ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- □ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- □ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- □ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1 66 County Total 289

McLeod County - June 2025 - Tate Putman - 110/299

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- □ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ■ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- □ Red-breasted Merganser
- □ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- ■ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- ▪ Eastern Whip-poor-will
- ■ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ■ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- ■ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- □ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- □ Northern Hawk Owl
- □ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- □ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- ■ Warbling Vireo
- □ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- □ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- □ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- □ Bohemian Waxwing
- □ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- □ Eastern Bluebird
- □ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- □ Lapland Longspur
- ▪ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- □ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- □ Ovenbird
- ▪ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- □ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- □ Brant
- □ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- □ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- □ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- □ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- □ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1 110 County Total 299

Meeker County - June 2025 - Tate Putman - 59/304

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ■ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ☐ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ■ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 59 County Total 304

Mille Lacs County - June 2025 - Tate Putman - 100/301

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ▪ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ☐ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ☐ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ☐ Yellow-billed Loon
- ▪ Northern Fulmar
- ☐ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 100 County Total 301

Morrison County - June 2025 - Tate Putman - 67/296

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ☐ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ■ American Coot
- ■ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ■ Hairy Woodpecker
- ☐ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ■ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ☐ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ☐ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 67 County Total 296

Mower County - June 2025 - Tate Putman - 117/299

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ■ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ☐ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ☐ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 117 County Total 299

Murray County - June 2025 - Tate Putman - 62/294

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ☐ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ▪ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ▪ Evening Grosbeak
- ▪ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_62 County Total 294

Nicollet County - June 2025 - Tate Putman - 139/302

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ■ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ■ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ■ Ovenbird
- ■ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ■ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ☐ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ☐ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_139 County Total 302

Nobles County - June 2025 - Tate Putman - 69/285

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ▪ Evening Grosbeak
- ▪ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ■ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ☐ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_69 County Total 285

Norman County - June 2025 - Tate Putman - 65/281

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ■ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 65 County Total 281

Olmsted County - June 2025 - Tate Putman - 131/320

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ■ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ■ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ■ Acadian Flycatcher
- ☐ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ■ Ovenbird
- ■ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ■ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ☐ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ■ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ☐ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ☐ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ☐ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ☐ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_131 County Total 320

Otter Tail County - June 2025 - Tate Putman - 56/328

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ☐ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ☐ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ☐ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ☐ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 56 County Total 328

Pennington County - June 2025 - Tate Putman - 57/285

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ☐ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ■ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ▪ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ☐ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ▪ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ☐ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ☐ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 57 County Total 285

Pine County - June 2025 - Tate Putman - 105/297

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- □ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- □ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- □ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ■ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- □ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- □ Spruce Grouse
- □ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- ▪ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- □ Killdeer
- □ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- ■ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- □ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- ■ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- □ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- □ Bonaparte's Gull
- □ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- □ Double-crested Cormorant
- □ American White Pelican
- □ Least Bittern
- □ American Bittern
- ▪ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ■ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ■ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- ■ Snowy Owl
- □ Northern Hawk Owl
- □ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- □ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- □ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- □ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- □ Eastern Kingbird
- □ Olive-sided Flycatcher
- □ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- □ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- □ Yellow-throated Vireo
- ■ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- □ Red-eyed Vireo
- □ Loggerhead Shrike
- ■ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- □ House Finch
- □ Purple Finch
- ■ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- □ Lapland Longspur
- □ Smith's Longspur
- ■ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- □ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- ▪ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- □ Limpkin
- □ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- □ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- □ Brambling
- □ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- □ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- □ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_105 County Total 297

Pipestone County - June 2025 - Tate Putman - 55/300

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ■ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ▪ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ■ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ☐ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ▪ Evening Grosbeak
- ▪ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ▪ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ■ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ☐ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ☐ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 55 County Total 300

Polk County - June 2025 - Tate Putman - 95/312

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ■ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ☐ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ☐ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 95 County Total 312

Pope County - June 2025 - Tate Putman - 59/287

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ☐ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 59 County Total 287

Ramsey County - June 2025 - Tate Putman - 170/331

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ■ Surf Scoter
- ☐ White-winged Scoter
- ■ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ■ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ☐ Great Black-backed Gull
- ■ Caspian Tern
- ☐ Black Tern
- ■ Common Tern
- ☐ Forster's Tern
- ■ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ■ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ■ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ■ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ☐ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ■ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ■ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ■ Prairie Warbler
- ☐ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ☐ Ivory Gull
- ▪ Black-headed Gull
- ☐ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ■ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ■ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ☐ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ☐ Hermit Warbler
- ☐ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_170 County Total 331

Red Lake County - June 2025 - Tate Putman - 74/272

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ■ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ■ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ▪ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ☐ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ▪ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ▪ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 74 County Total 272

Redwood County - June 2025 - Tate Putman - 56/279

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ▪ Surf Scoter
- ▪ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ☐ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ☐ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ■ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ■ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_56 County Total 279

Renville County - June 2025 - Tate Putman - 94/282

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ▪ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ■ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ■ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ■ Cape May Warbler
- ☐ Cerulean Warbler
- ■ Northern Parula
- ☐ Magnolia Warbler
- ■ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_94 County Total 282

Rice County - June 2025 - Tate Putman - 154/317

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- □ Greater Prairie-Chicken
- ■ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- ■ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- ■ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- □ Lesser Black-backed Gull
- □ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- ■ Black Tern
- □ Common Tern
- □ Forster's Tern
- □ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- ■ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- ■ Barred Owl
- □ Great Gray Owl
- □ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- ■ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- □ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- □ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- ■ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- □ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- □ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- ■ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ■ Grasshopper Sparrow
- □ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- □ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- □ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- □ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- ■ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- □ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- ■ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ■ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- □ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- □ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- □ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- □ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- □ Black Rail
- □ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- □ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- □ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- □ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- □ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1 154 County Total 317

Rock County - June 2025 - Tate Putman - 44/290

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ▪ White-winged Scoter
- ▪ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ☐ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ▪ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ▪ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ☐ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ☐ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ▪ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ▪ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ☐ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ▪ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ☐ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ☐ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 44 County Total 290

Roseau County - June 2025 - Tate Putman - 53/309

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ☐ Spruce Grouse
- ■ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ☐ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ■ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ☐ American Coot
- ■ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ☐ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ■ Northern Hawk Owl
- ☐ Barred Owl
- ■ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ■ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ☐ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ■ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ☐ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ▪ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ☐ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ☐ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ☐ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_53 County Total 309

Scott County - June 2025 - Tate Putman - 229/311

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ■ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- □ Harlequin Duck
- ■ Surf Scoter
- ■ White-winged Scoter
- ■ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- □ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- ■ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- □ Black-necked Stilt
- □ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- ■ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- □ Red Knot
- ■ Stilt Sandpiper
- □ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ■ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ■ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ■ Lesser Black-backed Gull
- ■ Glaucous Gull
- ▪ Great Black-backed Gull
- ■ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ■ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ■ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- ■ Great Horned Owl
- □ Snowy Owl
- ■ Northern Hawk Owl
- ■ Barred Owl
- □ Great Gray Owl
- ■ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ■ Acadian Flycatcher
- □ Alder Flycatcher
- ■ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ■ White-eyed Vireo
- ■ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ■ Loggerhead Shrike
- ■ Northern Shrike
- □ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- □ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- ■ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ■ Veery
- □ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ■ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ■ Snow Bunting
- ■ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ■ LeConte's Sparrow
- ■ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- ■ Eastern Towhee
- □ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- ■ Ovenbird
- ■ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ■ Blue-winged Warbler
- ■ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ■ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- □ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- □ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- □ Canada Warbler
- ■ Wilson's Warbler
- ■ Summer Tanager
- ■ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ■ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- □ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- □ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- □ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- □ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- □ Rock Wren
- ▪ Sage Thrasher
- □ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- ■ Kentucky Warbler
- □ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- □ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- □ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- □ Crested Caracara
- ▪ Ash-throated Flycatcher
- □ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- □ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_229 County Total 311

Sherburne County - June 2025 - Tate Putman - 107/320

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ■ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ☐ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ☐ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ☐ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ☐ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ☐ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ☐ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 107 County Total 320

Sibley County - June 2025 - Tate Putman - 121/283

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ■ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ■ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ■ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ■ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 121 County Total 283

St. Louis County - June 2025 - Tate Putman - 206/388

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ■ Surf Scoter
- ■ White-winged Scoter
- ■ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ■ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ■ Ruffed Grouse
- ☐ Spruce Grouse
- ■ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ▪ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ■ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ■ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ■ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ■ Sanderling
- ■ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ■ Parasitic Jaeger
- ■ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ■ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ■ Common Tern
- ■ Forster's Tern
- ■ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ■ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ■ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ■ Snowy Owl
- ■ Northern Hawk Owl
- ■ Barred Owl
- ■ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ■ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ■ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ■ American Three-toed Woodpecker
- ■ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ■ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ■ Canada Jay
- ■ Blue Jay
- ■ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ■ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ■ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ■ Evening Grosbeak
- ■ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ■ Redpoll
- ■ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ■ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ■ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ■ Northern Waterthrush
- ■ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ■ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ■ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ■ Cape May Warbler
- ▪ Cerulean Warbler
- ■ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ■ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ■ Yellow-throated Warbler
- ■ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ☐ Tufted Duck
- ☐ King Eider
- ☐ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ☐ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ☐ Red Phalarope
- ☐ Black-legged Kittiwake
- ☐ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ☐ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ☐ Black Vulture
- ☐ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ☐ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ☐ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ☐ Brambling
- ☐ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ☐ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ☐ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ☐ Common Eider
- ▪ Smew
- ☐ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ☐ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ☐ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ☐ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ☐ Wilson's Plover
- ☐ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ☐ Purple Sandpiper
- ☐ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ☐ Long-billed Murrelet
- ☐ Ancient Murrelet
- ☐ Ivory Gull
- ▪ Black-headed Gull
- ☐ Ross's Gull
- ☐ Short-billed Gull
- ☐ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ☐ Arctic Tern
- ☐ Sandwich Tern
- ▪ Elegant Tern
- ☐ Yellow-billed Loon
- ☐ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ☐ Fork-tailed Flycatcher
- ☐ Western Wood-Pewee
- ▪ Violet-green Swallow
- ■ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ☐ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ☐ Cassin's Finch
- ▪ Lesser Goldfinch
- ☐ Thick-billed Longspur
- ☐ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ☐ Green-tailed Towhee
- ☐ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ☐ Kirtland's Warbler
- ▪ Townsend's Warbler
- ☐ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 206 County Total 388

Stearns County - June 2025 - Tate Putman - 114/331

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ■ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ■ Ruddy Turnstone
- ☐ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ☐ Brant
- ☐ Eurasian Wigeon
- ☐ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ■ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ☐ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ☐ Bullock's Oriole
- ▪ Worm-eating Warbler
- ☐ Kentucky Warbler
- ☐ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ☐ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ☐ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 114 County Total 331

Steele County - June 2025 - Tate Putman - 128/298

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- □Ackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- ▪ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- □ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- □ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- □ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- □ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- ■ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- ■ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- □ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- □ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- ■ Forster's Tern
- □ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ■ Least Bittern
- ■ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- □ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- □ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- □ Merlin
- □ Peregrine Falcon
- □ Prairie Falcon
- □ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- □ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- □ Bell's Vireo
- ■ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- □ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- □ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- ■ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- □ Eastern Bluebird
- ■ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- □ Eurasian Tree Sparrow
- ■ American Pipit
- □ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- □ Pine Siskin
- ■ American Goldfinch
- □ Lapland Longspur
- ▪ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- □ Chipping Sparrow
- ■ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- ■ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- □ Spotted Towhee
- □ Eastern Towhee
- □ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- □ Ovenbird
- □ Louisiana Waterthrush
- □ Northern Waterthrush
- ■ Golden-winged Warbler
- □ Blue-winged Warbler
- ■ Black-and-white Warbler
- □ Prothonotary Warbler
- ■ Tennessee Warbler
- □ Orange-crowned Warbler
- ■ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- ■ American Redstart
- □ Cape May Warbler
- □ Cerulean Warbler
- □ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- □ Black-throated Blue Warbler
- ■ Palm Warbler
- □ Pine Warbler
- ■ Yellow-rumped Warbler
- □ Yellow-throated Warbler
- □ Black-throated Green Warbler
- ■ Canada Warbler
- ■ Wilson's Warbler
- □ Summer Tanager
- ■ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- □ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- ▪ Ruff
- □ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- □ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- □ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- □ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- □ Lazuli Bunting
- □ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ■ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county □ Seen in county r2d2yoda1_128 County Total 298

Stevens County - June 2025 - Tate Putman - 110/290

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ■ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ■ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ☐ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ☐ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ■ Yellow-throated Vireo
- ■ Blue-headed Vireo
- ■ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ■ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ■ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ☐ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 110 County Total 290

Swift County - June 2025 - Tate Putman - 85/293

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ■ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ☐ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ☐ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ☐ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ☐ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 85 County Total 293

Todd County - June 2025 - Tate Putman - 101/294

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ■ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ☐ Townsend's Solitaire
- ■ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ■ Blackburnian Warbler
- ■ Yellow Warbler
- ■ Chestnut-sided Warbler
- ■ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ■ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ☐ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ☐ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 101 County Total 294

Traverse County - June 2025 - Tate Putman - 125/284

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ▪ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ■ Virginia Rail
- ■ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ■ Semipalmated Plover
- ☐ Piping Plover
- ■ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ■ Dunlin
- ■ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ■ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ■ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ■ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ■ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ▪ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ▪ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ■ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ■ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ☐ Eastern Meadowlark
- ■ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ■ Tennessee Warbler
- ■ Orange-crowned Warbler
- ☐ Nashville Warbler
- ▪ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ■ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1 125 County Total 284

Wabasha County - June 2025 - Tate Putman - 110/314

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ☐ Blue-winged Teal
- ▪ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ■ Surf Scoter
- ☐ White-winged Scoter
- ■ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ■ Yellow-billed Cuckoo
- ■ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ■ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ■ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ☐ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ■ Iceland Gull
- ■ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ☐ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ■ Common Loon
- ☐ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ☐ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ■ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ☐ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ■ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ■ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ■ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ▪ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ☐ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ▪ California Gull
- ☐ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ☐ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ☐ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ☐ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ☐ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1, 110 County Total 314

Wadena County - June 2025 - Tate Putman - 61/277

-- Regular Species --
- ☐ Snow Goose
- ▪ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ☐ Wood Duck
- ■ Blue-winged Teal
- ▪ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ☐ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ▪ Surf Scoter
- ☐ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ☐ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ☐ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ■ Virginia Rail
- ☐ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ☐ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ▪ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ▪ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ▪ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ▪ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ☐ Boreal Owl
- ■ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ▪ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ☐ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ☐ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ▪ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ☐ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ☐ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ▪ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ▪ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ☐ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ■ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ▪ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2yoda1_61 County Total 277

Waseca County - June 2025 - Tate Putman - 97/286

-- Regular Species --
- ■ Snow Goose
- ■ Ross's Goose
- ■ Greater White-fronted Goose
- ■ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- □ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- □ White-winged Scoter
- □ Black Scoter
- □ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- □ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- ■ Common Nighthawk
- □ Eastern Whip-poor-will
- ■ Chimney Swift
- ■ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- ▪ Piping Plover
- □ Upland Sandpiper
- ▪ Whimbrel
- □ Hudsonian Godwit
- ▪ Marbled Godwit
- □ Ruddy Turnstone
- □ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- ■ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- □ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- □ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- ■ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- □ Iceland Gull
- □ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- □ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- □ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- ■ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- □ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- □ Northern Saw-whet Owl
- □ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- □ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- ■ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- □ White-eyed Vireo
- □ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- ■ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- □ Ruby-crowned Kinglet
- □ Golden-crowned Kinglet
- ▪ Bohemian Waxwing
- ■ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- □ Carolina Wren
- ■ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ▪ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- ▪ Evening Grosbeak
- □ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ■ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- □ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- □ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- □ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- □ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- □ Eastern Towhee
- □ Yellow-breasted Chat
- □ Yellow-headed Blackbird
- □ Bobolink
- □ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- □ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- ■ Ovenbird
- □ Louisiana Waterthrush
- ■ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- ■ Common Yellowthroat
- □ Hooded Warbler
- □ American Redstart
- □ Cape May Warbler
- ▪ Cerulean Warbler
- □ Northern Parula
- ■ Magnolia Warbler
- ■ Bay-breasted Warbler
- □ Blackburnian Warbler
- □ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- □ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- □ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- □ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- □ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- □ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- □ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- □ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2yoda1_97 County Total 286

Washington County - June 2025 - Tate Putman - 164/338

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ■ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ■ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ■ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ■ Red-necked Grebe
- ☐ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ■ Common Nighthawk
- ■ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ■ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ■ Semipalmated Sandpiper
- ■ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ■ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ■ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ☐ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ■ Common Tern
- ☐ Forster's Tern
- ☐ Red-throated Loon
- ☐ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ■ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ■ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ■ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ☐ Boreal Owl
- ■ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ☐ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ■ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ■ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ■ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ■ Bell's Vireo
- ■ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ■ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ■ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ■ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ■ Eastern Bluebird
- ■ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ■ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ■ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ■ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ■ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ■ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ■ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ■ Eastern Towhee
- ■ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ■ Eastern Meadowlark
- ☐ Western Meadowlark
- ■ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ■ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ■ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ☐ Rufous Hummingbird
- ☐ King Rail
- ■ Limpkin
- ▪ Ruff
- ☐ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ☐ Laughing Gull
- ☐ California Gull
- ☐ Slaty-backed Gull
- ▪ Least Tern
- ☐ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ☐ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ■ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ■ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ☐ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ☐ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ☐ Pomarine Jaeger
- ☐ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ☐ Ivory Gull
- ▪ Black-headed Gull
- ■ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ■ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ☐ White Ibis
- ☐ Roseate Spoonbill
- ☐ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ☐ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_164 County Total 338

Watonwan County - June 2025 - Tate Putman - 81/286

-- Regular Species --
- ■ Snow Goose
- □ Ross's Goose
- ■ Greater White-fronted Goose
- □ Cackling Goose
- ■ Canada Goose
- □ Mute Swan
- ■ Trumpeter Swan
- □ Tundra Swan
- ■ Wood Duck
- □ Blue-winged Teal
- □ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- □ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- □ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- □ Surf Scoter
- ▪ White-winged Scoter
- ▪ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- □ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- □ Horned Grebe
- □ Red-necked Grebe
- □ Eared Grebe
- □ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- □ White-winged Dove
- ■ Mourning Dove
- □ Yellow-billed Cuckoo
- □ Black-billed Cuckoo
- □ Common Nighthawk
- ▪ Eastern Whip-poor-will
- □ Chimney Swift
- □ Ruby-throated Hummingbird
- □ Virginia Rail
- □ Sora
- □ Common Gallinule
- ■ American Coot
- □ Yellow Rail
- □ Sandhill Crane
- □ Black-necked Stilt
- □ American Avocet
- □ Black-bellied Plover
- □ American Golden-Plover
- ■ Killdeer
- □ Semipalmated Plover
- □ Piping Plover
- □ Upland Sandpiper
- □ Whimbrel
- □ Hudsonian Godwit
- □ Marbled Godwit
- □ Ruddy Turnstone
- ▪ Red Knot
- □ Stilt Sandpiper
- □ Sanderling
- □ Dunlin
- □ Baird's Sandpiper
- □ Least Sandpiper
- □ White-rumped Sandpiper
- □ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- □ Semipalmated Sandpiper
- □ Short-billed Dowitcher
- □ Long-billed Dowitcher
- ■ American Woodcock
- □ Wilson's Snipe
- □ Spotted Sandpiper
- □ Solitary Sandpiper
- □ Lesser Yellowlegs
- □ Willet
- □ Greater Yellowlegs
- □ Wilson's Phalarope
- □ Red-necked Phalarope
- ▪ Parasitic Jaeger
- □ Sabine's Gull
- □ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- □ Herring Gull
- ▪ Iceland Gull
- □ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- □ Caspian Tern
- □ Black Tern
- □ Common Tern
- ■ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- □ Common Loon
- ■ Double-crested Cormorant
- □ American White Pelican
- □ Least Bittern
- □ American Bittern
- □ Snowy Egret
- ▪ Yellow-crowned Night Heron
- □ Black-crowned Night Heron
- □ Green Heron
- □ Great Egret
- □ Western Cattle-Egret
- ■ Great Blue Heron
- □ White-faced Ibis
- ■ Turkey Vulture
- □ Osprey
- □ Golden Eagle
- ■ Northern Harrier
- □ Sharp-shinned Hawk
- ■ Cooper's Hawk
- □ American Goshawk
- ■ Bald Eagle
- □ Red-shouldered Hawk
- □ Broad-winged Hawk
- □ Swainson's Hawk
- ■ Red-tailed Hawk
- □ Rough-legged Hawk
- □ Eastern Screech-Owl
- □ Great Horned Owl
- □ Snowy Owl
- ▪ Northern Hawk Owl
- □ Barred Owl
- ▪ Great Gray Owl
- □ Long-eared Owl
- □ Short-eared Owl
- ▪ Boreal Owl
- ▪ Northern Saw-whet Owl
- ■ Belted Kingfisher
- □ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- □ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- □ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- □ Peregrine Falcon
- ▪ Prairie Falcon
- ■ Great Crested Flycatcher
- □ Western Kingbird
- □ Eastern Kingbird
- □ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- □ Yellow-bellied Flycatcher
- □ Acadian Flycatcher
- □ Alder Flycatcher
- □ Willow Flycatcher
- □ Least Flycatcher
- ■ Eastern Phoebe
- ▪ Say's Phoebe
- ▪ White-eyed Vireo
- □ Bell's Vireo
- □ Yellow-throated Vireo
- □ Blue-headed Vireo
- □ Philadelphia Vireo
- □ Warbling Vireo
- □ Red-eyed Vireo
- □ Loggerhead Shrike
- □ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- □ Tufted Titmouse
- ■ Horned Lark
- □ Bank Swallow
- ■ Tree Swallow
- □ Northern Rough-winged Swallow
- □ Purple Martin
- ■ Barn Swallow
- □ Cliff Swallow
- □ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- □ Bohemian Waxwing
- □ Cedar Waxwing
- □ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- □ Brown Creeper
- □ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- □ Northern House Wren
- □ Winter Wren
- □ Sedge Wren
- □ Marsh Wren
- ■ Gray Catbird
- □ Brown Thrasher
- □ Northern Mockingbird
- ■ European Starling
- □ Eastern Bluebird
- □ Townsend's Solitaire
- □ Veery
- □ Gray-cheeked Thrush
- □ Swainson's Thrush
- □ Hermit Thrush
- □ Wood Thrush
- ■ American Robin
- □ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- □ American Pipit
- □ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- □ Purple Finch
- □ Redpoll
- □ Red Crossbill
- □ White-winged Crossbill
- ■ Pine Siskin
- □ American Goldfinch
- ■ Lapland Longspur
- □ Smith's Longspur
- □ Snow Bunting
- □ Grasshopper Sparrow
- □ Lark Sparrow
- □ Chipping Sparrow
- □ Clay-colored Sparrow
- □ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- □ White-crowned Sparrow
- □ Harris's Sparrow
- □ White-throated Sparrow
- ■ Vesper Sparrow
- □ LeConte's Sparrow
- □ Nelson's Sparrow
- □ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- □ Lincoln's Sparrow
- □ Swamp Sparrow
- ▪ Spotted Towhee
- □ Eastern Towhee
- ▪ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- □ Bobolink
- ■ Eastern Meadowlark
- □ Western Meadowlark
- □ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- □ Brewer's Blackbird
- ■ Common Grackle
- □ Great-tailed Grackle
- □ Ovenbird
- ▪ Louisiana Waterthrush
- □ Northern Waterthrush
- □ Golden-winged Warbler
- □ Blue-winged Warbler
- □ Black-and-white Warbler
- □ Prothonotary Warbler
- □ Tennessee Warbler
- □ Orange-crowned Warbler
- □ Nashville Warbler
- □ Connecticut Warbler
- □ Mourning Warbler
- □ Common Yellowthroat
- □ Hooded Warbler
- □ American Redstart
- □ Cape May Warbler
- ▪ Cerulean Warbler
- □ Northern Parula
- □ Magnolia Warbler
- □ Bay-breasted Warbler
- □ Blackburnian Warbler
- □ Yellow Warbler
- □ Chestnut-sided Warbler
- □ Blackpoll Warbler
- □ Black-throated Blue Warbler
- □ Palm Warbler
- □ Pine Warbler
- □ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- □ Black-throated Green Warbler
- □ Canada Warbler
- □ Wilson's Warbler
- □ Summer Tanager
- □ Scarlet Tanager
- ▪ Western Tanager
- ■ Northern Cardinal
- □ Rose-breasted Grosbeak
- □ Blue Grosbeak
- □ Indigo Bunting
- □ Dickcissel

-- Casual Species --
- □ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- □ Clark's Grebe
- ▪ Rufous Hummingbird
- □ King Rail
- □ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- □ Little Blue Heron
- □ Glossy Ibis
- ▪ Black Vulture
- □ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- □ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ▪ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- □ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- □ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- □ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- □ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting □ Seen in county r2d2voda1 81 County Total 286

Wilkin County - June 2025 - Tate Putman - 109/294

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ▪ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ☐ Greater Scaup
- ■ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ▪ White-winged Scoter
- ☐ Black Scoter
- ▪ Long-tailed Duck
- ■ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ■ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ■ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ☐ Horned Grebe
- ■ Red-necked Grebe
- ■ Eared Grebe
- ■ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ▪ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ■ Marbled Godwit
- ☐ Ruddy Turnstone
- ☐ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ■ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ■ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ■ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ☐ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ☐ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ☐ Golden Eagle
- ■ Northern Harrier
- ■ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ■ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ☐ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ■ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ▪ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ■ Least Flycatcher
- ☐ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ■ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ▪ Tufted Titmouse
- ■ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ▪ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ■ Sedge Wren
- ■ Marsh Wren
- ☐ Gray Catbird
- ■ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ■ American Pipit
- ▪ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ☐ Smith's Longspur
- ■ Snow Bunting
- ☐ Grasshopper Sparrow
- ■ Lark Sparrow
- ■ Chipping Sparrow
- ■ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ■ Harris's Sparrow
- ■ White-throated Sparrow
- ■ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ■ Bobolink
- ■ Eastern Meadowlark
- ■ Western Meadowlark
- ☐ Orchard Oriole
- ☐ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ■ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ▪ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ▪ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ▪ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ☐ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ☐ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ☐ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ☐ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ■ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ☐ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ☐ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ☐ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ☐ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ☐ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ☐ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ■ Only sighting in county ☐ Seen in county r2d2yoda1_109 County Total 294

Winona County - June 2025 - Tate Putman - 87/314

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ■ Tundra Swan
- ☐ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ■ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ▪ Greater Prairie-Chicken
- ☐ Gray Partridge
- ☐ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ☐ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ■ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ▪ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ☐ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ■ Herring Gull
- ☐ Iceland Gull
- ☐ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ☐ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ☐ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ☐ Osprey
- ■ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ■ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ▪ Prairie Falcon
- ☐ Great Crested Flycatcher
- ▪ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ■ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ☐ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ☐ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ■ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ☐ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ■ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ■ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ■ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ■ Field Sparrow
- ☐ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ▪ Spotted Towhee
- ■ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ▪ Great-tailed Grackle
- ■ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ☐ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ■ Indigo Bunting
- ■ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ☐ King Rail
- ▪ Limpkin
- ▪ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ☐ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ☐ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ☐ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ☐ Brambling
- ▪ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ☐ Worm-eating Warbler
- ☐ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ☐ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ☐ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ☐ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ☐ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ☐ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ☐ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ☐ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_87 County Total 314

Wright County - June 2025 - Tate Putman - 115/310

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ■ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ■ Trumpeter Swan
- ☐ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ■ Northern Shoveler
- ■ Gadwall
- ■ American Wigeon
- ■ Mallard
- ■ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ■ Canvasback
- ■ Redhead
- ■ Ring-necked Duck
- ■ Greater Scaup
- ■ Lesser Scaup
- ☐ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ■ Bufflehead
- ■ Common Goldeneye
- ☐ Barrow's Goldeneye
- ■ Hooded Merganser
- ■ Common Merganser
- ■ Red-breasted Merganser
- ■ Ruddy Duck
- ■ Wild Turkey
- ☐ Ruffed Grouse
- ▪ Spruce Grouse
- ▪ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ■ Pied-billed Grebe
- ■ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ■ Sora
- ■ Common Gallinule
- ■ American Coot
- ▪ Yellow Rail
- ■ Sandhill Crane
- ■ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ■ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ▪ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ■ Ruddy Turnstone
- ☐ Red Knot
- ■ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ■ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ■ American Woodcock
- ■ Wilson's Snipe
- ■ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ■ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ▪ Sabine's Gull
- ■ Bonaparte's Gull
- ■ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ☐ Iceland Gull
- ■ Lesser Black-backed Gull
- ☐ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ■ Black Tern
- ☐ Common Tern
- ■ Forster's Tern
- ☐ Red-throated Loon
- ■ Pacific Loon
- ■ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ☐ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ■ Green Heron
- ■ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ■ Sharp-shinned Hawk
- ■ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ■ Broad-winged Hawk
- ☐ Swainson's Hawk
- ■ Red-tailed Hawk
- ■ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ☐ Northern Hawk Owl
- ☐ Barred Owl
- ☐ Great Gray Owl
- ☐ Long-eared Owl
- ■ Short-eared Owl
- ☐ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ■ Red-bellied Woodpecker
- ☐ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ▪ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ■ Pileated Woodpecker
- ■ American Kestrel
- ☐ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ■ Great Crested Flycatcher
- ☐ Western Kingbird
- ■ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ☐ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ☐ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ☐ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ☐ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ☐ Common Raven
- ■ Black-capped Chickadee
- ▪ Boreal Chickadee
- ☐ Tufted Titmouse
- ■ Horned Lark
- ■ Bank Swallow
- ■ Tree Swallow
- ☐ Northern Rough-winged Swallow
- ■ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ■ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ■ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ☐ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ■ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ☐ Swainson's Thrush
- ■ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ▪ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ☐ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ☐ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ▪ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ■ Fox Sparrow
- ■ American Tree Sparrow
- ■ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ■ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ■ Savannah Sparrow
- ■ Song Sparrow
- ☐ Lincoln's Sparrow
- ☐ Swamp Sparrow
- ☐ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ■ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ■ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ■ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ☐ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ☐ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ☐ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ■ Common Yellowthroat
- ☐ Hooded Warbler
- ☐ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ☐ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ☐ Pine Warbler
- ■ Yellow-rumped Warbler
- ☐ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ☐ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ▪ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ☐ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ▪ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ☐ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ▪ Little Blue Heron
- ▪ Glossy Ibis
- ▪ Black Vulture
- ☐ Swallow-tailed Kite
- ▪ Mississippi Kite
- ▪ Ferruginous Hawk
- ☐ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ▪ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ▪ Sage Thrasher
- ▪ Mountain Bluebird
- ▪ Brambling
- ☐ Gray-crowned Rosy-Finch
- ▪ Chestnut-collared Longspur
- ▪ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ☐ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ☐ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ☐ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ▪ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ☐ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ☐ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ☐ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1 115 County Total 310

Yellow Medicine County - June 2025 - Tate Putman - 62/295

-- Regular Species --
- ☐ Snow Goose
- ☐ Ross's Goose
- ☐ Greater White-fronted Goose
- ☐ Cackling Goose
- ■ Canada Goose
- ☐ Mute Swan
- ☐ Trumpeter Swan
- ■ Tundra Swan
- ■ Wood Duck
- ■ Blue-winged Teal
- ☐ Cinnamon Teal
- ☐ Northern Shoveler
- ☐ Gadwall
- ☐ American Wigeon
- ■ Mallard
- ☐ American Black Duck
- ☐ Northern Pintail
- ■ Green-winged Teal
- ☐ Canvasback
- ☐ Redhead
- ☐ Ring-necked Duck
- ☐ Greater Scaup
- ☐ Lesser Scaup
- ▪ Harlequin Duck
- ☐ Surf Scoter
- ☐ White-winged Scoter
- ☐ Black Scoter
- ☐ Long-tailed Duck
- ☐ Bufflehead
- ☐ Common Goldeneye
- ▪ Barrow's Goldeneye
- ☐ Hooded Merganser
- ☐ Common Merganser
- ☐ Red-breasted Merganser
- ☐ Ruddy Duck
- ☐ Wild Turkey
- ▪ Ruffed Grouse
- ▪ Spruce Grouse
- ☐ Sharp-tailed Grouse
- ☐ Greater Prairie-Chicken
- ☐ Gray Partridge
- ■ Ring-necked Pheasant
- ☐ Pied-billed Grebe
- ☐ Horned Grebe
- ☐ Red-necked Grebe
- ☐ Eared Grebe
- ☐ Western Grebe
- ■ Rock Pigeon
- ■ Eurasian Collared-Dove
- ▪ White-winged Dove
- ■ Mourning Dove
- ☐ Yellow-billed Cuckoo
- ☐ Black-billed Cuckoo
- ☐ Common Nighthawk
- ☐ Eastern Whip-poor-will
- ☐ Chimney Swift
- ☐ Ruby-throated Hummingbird
- ☐ Virginia Rail
- ☐ Sora
- ☐ Common Gallinule
- ☐ American Coot
- ☐ Yellow Rail
- ■ Sandhill Crane
- ☐ Black-necked Stilt
- ☐ American Avocet
- ☐ Black-bellied Plover
- ☐ American Golden-Plover
- ■ Killdeer
- ☐ Semipalmated Plover
- ☐ Piping Plover
- ☐ Upland Sandpiper
- ☐ Whimbrel
- ☐ Hudsonian Godwit
- ☐ Marbled Godwit
- ☐ Ruddy Turnstone
- ▪ Red Knot
- ☐ Stilt Sandpiper
- ☐ Sanderling
- ☐ Dunlin
- ☐ Baird's Sandpiper
- ☐ Least Sandpiper
- ☐ White-rumped Sandpiper
- ☐ Buff-breasted Sandpiper
- ☐ Pectoral Sandpiper
- ☐ Semipalmated Sandpiper
- ☐ Short-billed Dowitcher
- ☐ Long-billed Dowitcher
- ☐ American Woodcock
- ☐ Wilson's Snipe
- ☐ Spotted Sandpiper
- ☐ Solitary Sandpiper
- ☐ Lesser Yellowlegs
- ☐ Willet
- ■ Greater Yellowlegs
- ☐ Wilson's Phalarope
- ☐ Red-necked Phalarope
- ▪ Parasitic Jaeger
- ☐ Sabine's Gull
- ☐ Bonaparte's Gull
- ☐ Franklin's Gull
- ■ Ring-billed Gull
- ☐ Herring Gull
- ▪ Iceland Gull
- ▪ Lesser Black-backed Gull
- ▪ Glaucous Gull
- ▪ Great Black-backed Gull
- ☐ Caspian Tern
- ☐ Black Tern
- ☐ Common Tern
- ☐ Forster's Tern
- ▪ Red-throated Loon
- ▪ Pacific Loon
- ☐ Common Loon
- ■ Double-crested Cormorant
- ■ American White Pelican
- ☐ Least Bittern
- ☐ American Bittern
- ☐ Snowy Egret
- ▪ Yellow-crowned Night Heron
- ☐ Black-crowned Night Heron
- ☐ Green Heron
- ☐ Great Egret
- ☐ Western Cattle-Egret
- ■ Great Blue Heron
- ☐ White-faced Ibis
- ■ Turkey Vulture
- ■ Osprey
- ☐ Golden Eagle
- ☐ Northern Harrier
- ☐ Sharp-shinned Hawk
- ☐ Cooper's Hawk
- ☐ American Goshawk
- ■ Bald Eagle
- ☐ Red-shouldered Hawk
- ☐ Broad-winged Hawk
- ☐ Swainson's Hawk
- ☐ Red-tailed Hawk
- ☐ Rough-legged Hawk
- ☐ Eastern Screech-Owl
- ☐ Great Horned Owl
- ☐ Snowy Owl
- ▪ Northern Hawk Owl
- ☐ Barred Owl
- ▪ Great Gray Owl
- ☐ Long-eared Owl
- ☐ Short-eared Owl
- ▪ Boreal Owl
- ☐ Northern Saw-whet Owl
- ■ Belted Kingfisher
- ☐ Red-headed Woodpecker
- ☐ Red-bellied Woodpecker
- ■ Yellow-bellied Sapsucker
- ▪ American Three-toed Woodpecker
- ☐ Black-backed Woodpecker
- ■ Downy Woodpecker
- ■ Hairy Woodpecker
- ■ Northern Flicker
- ☐ Pileated Woodpecker
- ☐ American Kestrel
- ■ Merlin
- ☐ Peregrine Falcon
- ☐ Prairie Falcon
- ☐ Great Crested Flycatcher
- ☐ Western Kingbird
- ☐ Eastern Kingbird
- ☐ Olive-sided Flycatcher
- ☐ Eastern Wood-Pewee
- ■ Yellow-bellied Flycatcher
- ☐ Acadian Flycatcher
- ☐ Alder Flycatcher
- ☐ Willow Flycatcher
- ☐ Least Flycatcher
- ■ Eastern Phoebe
- ☐ Say's Phoebe
- ▪ White-eyed Vireo
- ▪ Bell's Vireo
- ☐ Yellow-throated Vireo
- ☐ Blue-headed Vireo
- ☐ Philadelphia Vireo
- ■ Warbling Vireo
- ■ Red-eyed Vireo
- ☐ Loggerhead Shrike
- ☐ Northern Shrike
- ▪ Canada Jay
- ■ Blue Jay
- ▪ Black-billed Magpie
- ■ American Crow
- ▪ Common Raven
- ■ Black-capped Chickadee
- ☐ Boreal Chickadee
- ▪ Tufted Titmouse
- ☐ Horned Lark
- ☐ Bank Swallow
- ☐ Tree Swallow
- ■ Northern Rough-winged Swallow
- ☐ Purple Martin
- ■ Barn Swallow
- ■ Cliff Swallow
- ☐ Ruby-crowned Kinglet
- ☐ Golden-crowned Kinglet
- ☐ Bohemian Waxwing
- ■ Cedar Waxwing
- ☐ Red-breasted Nuthatch
- ■ White-breasted Nuthatch
- ☐ Brown Creeper
- ☐ Blue-gray Gnatcatcher
- ☐ Carolina Wren
- ■ Northern House Wren
- ☐ Winter Wren
- ☐ Sedge Wren
- ☐ Marsh Wren
- ■ Gray Catbird
- ☐ Brown Thrasher
- ☐ Northern Mockingbird
- ■ European Starling
- ☐ Eastern Bluebird
- ☐ Townsend's Solitaire
- ☐ Veery
- ☐ Gray-cheeked Thrush
- ■ Swainson's Thrush
- ☐ Hermit Thrush
- ☐ Wood Thrush
- ■ American Robin
- ☐ Varied Thrush
- ■ House Sparrow
- ☐ Eurasian Tree Sparrow
- ☐ American Pipit
- ☐ Evening Grosbeak
- ▪ Pine Grosbeak
- ■ House Finch
- ☐ Purple Finch
- ☐ Redpoll
- ☐ Red Crossbill
- ☐ White-winged Crossbill
- ■ Pine Siskin
- ■ American Goldfinch
- ☐ Lapland Longspur
- ☐ Smith's Longspur
- ☐ Snow Bunting
- ☐ Grasshopper Sparrow
- ☐ Lark Sparrow
- ■ Chipping Sparrow
- ☐ Clay-colored Sparrow
- ☐ Field Sparrow
- ☐ Fox Sparrow
- ☐ American Tree Sparrow
- ☐ Dark-eyed Junco
- ☐ White-crowned Sparrow
- ☐ Harris's Sparrow
- ☐ White-throated Sparrow
- ☐ Vesper Sparrow
- ☐ LeConte's Sparrow
- ☐ Nelson's Sparrow
- ☐ Henslow's Sparrow
- ☐ Savannah Sparrow
- ■ Song Sparrow
- ■ Lincoln's Sparrow
- ■ Swamp Sparrow
- ▪ Spotted Towhee
- ☐ Eastern Towhee
- ☐ Yellow-breasted Chat
- ☐ Yellow-headed Blackbird
- ☐ Bobolink
- ☐ Eastern Meadowlark
- ☐ Western Meadowlark
- ☐ Orchard Oriole
- ■ Baltimore Oriole
- ■ Red-winged Blackbird
- ☐ Brown-headed Cowbird
- ☐ Rusty Blackbird
- ☐ Brewer's Blackbird
- ■ Common Grackle
- ☐ Great-tailed Grackle
- ☐ Ovenbird
- ▪ Louisiana Waterthrush
- ☐ Northern Waterthrush
- ☐ Golden-winged Warbler
- ☐ Blue-winged Warbler
- ☐ Black-and-white Warbler
- ☐ Prothonotary Warbler
- ■ Tennessee Warbler
- ☐ Orange-crowned Warbler
- ■ Nashville Warbler
- ☐ Connecticut Warbler
- ☐ Mourning Warbler
- ☐ Common Yellowthroat
- ▪ Hooded Warbler
- ■ American Redstart
- ☐ Cape May Warbler
- ☐ Cerulean Warbler
- ☐ Northern Parula
- ☐ Magnolia Warbler
- ■ Bay-breasted Warbler
- ☐ Blackburnian Warbler
- ■ Yellow Warbler
- ☐ Chestnut-sided Warbler
- ☐ Blackpoll Warbler
- ☐ Black-throated Blue Warbler
- ☐ Palm Warbler
- ▪ Pine Warbler
- ■ Yellow-rumped Warbler
- ▪ Yellow-throated Warbler
- ☐ Black-throated Green Warbler
- ☐ Canada Warbler
- ■ Wilson's Warbler
- ☐ Summer Tanager
- ☐ Scarlet Tanager
- ☐ Western Tanager
- ■ Northern Cardinal
- ☐ Rose-breasted Grosbeak
- ☐ Blue Grosbeak
- ☐ Indigo Bunting
- ☐ Dickcissel

-- Casual Species --
- ▪ Black-bellied Whistling-Duck
- ▪ Brant
- ▪ Eurasian Wigeon
- ▪ Tufted Duck
- ▪ King Eider
- ☐ Clark's Grebe
- ▪ Rufous Hummingbird
- ▪ King Rail
- ▪ Limpkin
- ☐ Ruff
- ▪ Western Sandpiper
- ▪ Red Phalarope
- ▪ Black-legged Kittiwake
- ▪ Little Gull
- ▪ Laughing Gull
- ▪ California Gull
- ▪ Slaty-backed Gull
- ▪ Least Tern
- ▪ Wood Stork
- ▪ Neotropic Cormorant
- ☐ Little Blue Heron
- ☐ Glossy Ibis
- ▪ Black Vulture
- ▪ Swallow-tailed Kite
- ▪ Mississippi Kite
- ☐ Ferruginous Hawk
- ▪ American Barn Owl
- ▪ Lewis's Woodpecker
- ▪ Gyrfalcon
- ☐ Scissor-tailed Flycatcher
- ☐ Vermilion Flycatcher
- ▪ Clark's Nutcracker
- ▪ Rock Wren
- ☐ Sage Thrasher
- ☐ Mountain Bluebird
- ▪ Brambling
- ▪ Gray-crowned Rosy-Finch
- ☐ Chestnut-collared Longspur
- ☐ Lark Bunting
- ▪ Golden-crowned Sparrow
- ▪ Bullock's Oriole
- ▪ Worm-eating Warbler
- ▪ Kentucky Warbler
- ▪ Prairie Warbler
- ▪ Black-throated Gray Warbler
- ▪ Black-headed Grosbeak
- ▪ Lazuli Bunting
- ▪ Painted Bunting

-- Accidental Species --
- ▪ Fulvous Whistling-Duck
- ▪ Garganey
- ▪ Mottled Duck
- ▪ Common Eider
- ▪ Smew
- ▪ Willow Ptarmigan
- ▪ Rock Ptarmigan
- ▪ Band-tailed Pigeon
- ▪ Inca Dove
- ▪ Common Ground Dove
- ▪ Groove-billed Ani
- ▪ Common Poorwill
- ▪ Chuck-will's-widow
- ▪ White-throated Swift
- ▪ Mexican Violetear
- ▪ Rivoli's Hummingbird
- ▪ Anna's Hummingbird
- ▪ Costa's Hummingbird
- ▪ Calliope Hummingbird
- ▪ Broad-billed Hummingbird
- ▪ Purple Gallinule
- ▪ Black Rail
- ▪ Whooping Crane
- ▪ Wilson's Plover
- ▪ Snowy Plover
- ▪ Long-billed Curlew
- ▪ Sharp-tailed Sandpiper
- ▪ Curlew Sandpiper
- ▪ Purple Sandpiper
- ▪ Pomarine Jaeger
- ▪ Long-tailed Jaeger
- ▪ Dovekie
- ▪ Black Guillemot
- ▪ Long-billed Murrelet
- ▪ Ancient Murrelet
- ▪ Ivory Gull
- ▪ Black-headed Gull
- ▪ Ross's Gull
- ▪ Short-billed Gull
- ▪ Glaucous-winged Gull
- ▪ Gull-billed Tern
- ▪ Arctic Tern
- ▪ Sandwich Tern
- ▪ Elegant Tern
- ▪ Yellow-billed Loon
- ▪ Northern Fulmar
- ▪ Magnificent Frigatebird
- ▪ Brown Booby
- ▪ Brown Pelican
- ▪ Tricolored Heron
- ▪ White Ibis
- ▪ Roseate Spoonbill
- ▪ White-tailed Kite
- ▪ Common Black Hawk
- ☐ Burrowing Owl
- ▪ Acorn Woodpecker
- ▪ Williamson's Sapsucker
- ▪ Crested Caracara
- ▪ Ash-throated Flycatcher
- ▪ Tropical Kingbird
- ▪ Cassin's Kingbird
- ▪ Fork-tailed Flycatcher
- ▪ Western Wood-Pewee
- ▪ Violet-green Swallow
- ▪ Phainopepla
- ▪ Pygmy Nuthatch
- ▪ Bewick's Wren
- ▪ Curve-billed Thrasher
- ▪ American Dipper
- ▪ Fieldfare
- ▪ Northern Wheatear
- ▪ Sprague's Pipit
- ▪ Black Rosy-Finch
- ▪ Cassin's Finch
- ▪ Lesser Goldfinch
- ▪ Thick-billed Longspur
- ▪ Cassin's Sparrow
- ▪ Black-throated Sparrow
- ▪ Brewer's Sparrow
- ▪ Baird's Sparrow
- ▪ Abert's Towhee
- ▪ Green-tailed Towhee
- ▪ Scott's Oriole
- ▪ Swainson's Warbler
- ▪ MacGillivray's Warbler
- ▪ Kirtland's Warbler
- ▪ Townsend's Warbler
- ▪ Hermit Warbler
- ▪ Painted Redstart

-- Extripated Species --
- ▪ Northern Bobwhite
- ▪ Eskimo Curlew

-- Extinct Species --
- ▪ Passenger Pigeon

■ Tate Putman sighting ☐ Seen in county r2d2voda1_62 County Total 295